



SWAT TACTICAL MILITARY
TACTICAL GEAR
TACTICAL GEAR



WELCOME TO YATES TACTICAL

Yates Gear was started in 1982 by James and John Yates, with its foundation being manufacturing mountaineering and rock climbing equipment. Over the years, innovative, functional, comfortable and safe products have set Yates apart in the climbing, technical rescue and tactical equipment arena. Our background in big wall climbing has shown through in the design and development of tactical specific equipment. We have developed a unique line of professional level equipment that is the best possible combination of low weight, function, comfort and durability. Our research and development is driven by a unique collaboration and long relationship with the special operations communities throughout the world including SEAL, Special Forces, SWAT and Special Operations teams. Part of our success is attributed to this joint collaboration and with personnel that have generously helped us develop ideas from their inception to final deployment and continued evolution.

A high degree of safety is a standard we *never* compromise in our equipment. Our attention to meticulous workmanship and detail and producing the highest quality products has set an industry standard. We have developed many unique materials to produce specialized and innovative products including proprietary hardware, adjusters, webbing and foam laminates. Yates goes the extra mile to produce products that have been extensively field and lab tested to ensure that they perform in the rigorous manor which is necessary in this field. You know when you purchase a Yates product you are purchasing only the best!

Classified by UL

Some of the Yates Tactical line of equipment has been classified by Underwriters Laboratory (UL) to meet or exceed the requirements of NFPA 1983 Standard for Life Safety Rope and System Components. Since 1993 Yates Gear has been using UL to third party certify our rescue, industrial and tactical products. Our commitment to excellence can be seen in our efforts to manufacture equipment of the highest quality that is independently tested and certified. This ensures that our products will fully meet and often exceed your expectations for quality, strength and durability.

ISO 9001:2000 Certification

Yates Gear Inc. is proud to be certified to ISO 9001:2000 Quality Management System. This ensures that all elements of a company from product development and testing to customer service, production, inspection and shipping are all up to the highest standard. All of the employees here at Yates are dedicated to providing the best possible products and services for our customers. We go the extra mile to listen to our customers and develop products to fit their specific needs.

Berry Amendment Compliance, Made in the USA

Yates Gear Inc. is proud to produce the highest quality products that are Berry Amendment (USC, title 10, section 2533a) compliant. All of our sewn goods are compliant to this amendment and made in the USA.

Commercial and Government Entity (CAGE) Code 45187

Product Information

A complete online product guide can be seen at www.yatesgear.com with detailed product information. Product updates and new products can also be found there. Products cannot be ordered directly online. You must contact your local Yates dealer or Yates Gear directly to place orders.

Ordering and Price Quotation Information

Yates Gear is dedicated to supporting our network of professional line dealers. They should be your contact for product information and support. Call the Yates Gear sales and customer service department at 1-800-YATES-16 or 530-222-4606 for a Yates Professional dealer in your area.

Prices are subject to change without notice.

Every attempt is made to keep our prices at published rates. Unfortunately, due to the extreme volatility of petroleum products, such as nylon, we cannot guarantee that prices on products will remain constant from the date of catalog printing. We will provide updated price sheets to dealers when extensive changes are required to be made, and they will be updated on our website at www.yatesgear.com. We apologize for any inconvenience this may cause.

To place an order or obtain a quote directly from Yates Gear

1. Order or quote by phone 800-YATES-16 (800-928-3716) or 530-222-4606
 Order or quote by fax 800-YATES-16 (800-928-3716) or 530-222-4640
 Order or quote by email info@yatesgear.com
2. Yates Gear ordering and customer service hours are 7:00 am to 5:00 pm Monday thru Friday, Pacific Standard time.
3. Use catalog product numbers and descriptions. Please indicate size, color, and length, where applicable.
4. Payment methods are credit card (all types) or purchase orders from a government agency, municipality or industrial facility (with approved credit).
5. Shipping charges. Yates has some of the lowest shipping charges in the industry because we only charge you what we are charged for shipping. No inflated or hidden charges and fees. Our ground delivery charges usually run in the 5% of your order amount range. Expedited air delivery is available. Some items such as litters and tripods are usually shipped motor freight collect. We ship UPS, United States Postal Service, DHL and motor freight.

Returns and Damaged Shipments

Products to be returned to Yates Gear for any reason must first have a return authorization number. Please call or email Yates Gear directly to obtain a return authorization number. A return authorization number must also be obtained prior to sending any product back to Yates Gear for repair or service.

If your received shipping container is damaged, open the carton and inspect the contents. Damaged or missing contents should be reported immediately to the carrier.

All copyrighted and trademarked material and names used in this catalog are the property of their respective owners. No use of any material in this catalog is permitted without the expressed written consent of Yates Gear, Inc. or its respective owner. BlueWater and Assaultline are registered trademarks of BlueWater Ropes & Equipment. ProTac, Dominator, SlimLine Elite and Enduro are trademarks of BlueWater Ropes & Equipment. Kevlar® and Nomex® are registered trademarks of E.I. DuPont Co. Technora® is a registered trademark of Teijin Limited. Design and production by Glenn Speight. Printing by H&H Printing. Front cover image adapted from US Navy photo by Milosz Reterski. Back cover image adapted from US Army photo by SPC Kieran Moore.

Yates Gear Inc. 2608 Hartnell Ave. Suite 6, Redding, CA. 96002
Phone/Fax 800-Yates-16 (800-928-3716)
Phone 530-222-4606 Fax 530-222-4640
email info@yatesgear.com

Harnesses	2 thru 7
QR Lanyard	7
Slings	7
SPIE Rope	8
Fast Rope and Fast Rope Bags	8
Spec Pak	9
Gloves	9
Stirrups	10
Daisy Chain	10
Adjustable Daisy	10
Uniform and Rappel Belts	10
Tactical Rit Kit	11
Tactical Rope Bag	11
Headlamps	11
Helmets	11
Hardware	12, 13
Carabiners	12
Webbing	13
Ladders	14, 15
Rope	16
Prusik Cord	16



HARNESSES



Base harness



Complete unit with legs stowed



Rear view

HARNESSES



361 Special Ops Full Body Harness

\$495

A full body harness and tactical load bearing vest are combined offering a unique product for civilian Special Operations and SWAT personnel. This modular harness and tactical vest combination was originally developed by Survival Inc. as the Joint Services Aircrew Vest and Extraction System™ (JSAVES) for US Air Force helicopter pilots and crew. Some additional features and add on modules were added for civilian Special Ops needs. Comes with front attachment points which when connected with a locking carabiner can be used for extraction or rappel applications. A rear dorsal D ring is provided for helicopter spotter or gunner lanyard attachment. Easily donned by use of quick connect buckles on waist, sternum and leg loops. Leg loops are stowed in concealed pockets on the bottom of the vest until needed. 4 inch padded waist pad and removable leg pads are provided. Tactical load bearing vest is designed using the latest military Modular Lightweight Load Carrying Equipment (MOLLE) system to easily attach desired pockets, ammo pouches and weapons. The vest does not come with any pockets or pouches. Molded rubber drag handle included on rear of vest. Weight 5 lb. 12 oz. with vest.

- One size, fully adjustable
- Available in terra and black
- Additional attachments include flotation vest and rescue swimmer attachment



304 Tactical Rappel Belt

\$145

Designed in conjunction with military Special Ops units, this harness is worn as a duty belt on users pants. Stiffer webbing is sewn inside the belt area of the harness to support wearing a side arm. Leg portion can be quickly donned by opening the pouch and securing the leg loop portions with quick connect buckles. Harness attachment point is well suited for all rappel and extraction situations. Weight 1 lb. 6 oz.

- Sizes M and L
- Left version available
- Available in terra, black and foliage green
- Meets ASTM/ANSI seat harness standards
- **Also available: Climbing Leg Suspension Strap (item# 303) \$10**

317 Tactical Rappel Harness with D Ring Attachment Point

\$132

Specially designed for tactical applications. Worn as a belt and turned into a rappel seat by removing the leg portions of the harness from waist pocket. Utilizes a double buckle assembly system that allows for fast application. Leg straps can be quickly packed away in waist pocket when harness is turned back into a belt. Optional 5 inch waist pad (item 400 or 405) is designed to accept military Alice clips for addition of military style gear and ammunition pouches. Weight 1 lb. 12 oz.

- One size, fully adjustable
- Available in black
- All hardware plated or epoxy coated black
- Meets ANSI/OSHA Class II harness standards



Quick connect buckle feature



304 worn as duty belt



304 with leg loops donned



HARNESSES/SPIE LANYARD



355 Extraction Harness \$218

Used by many agency personnel for short haul, rappel and extraction (SPIE) operations. All webbing and hardware colored black. Two piece quick connect buckles on the legs, waist and sternum. Meets FAA TSO approval for use as a short haul harness. Weight 4 lb. 7 oz.

- One size, fully adjustable
- Certified to NFPA 1983/2006 ed. standards
- Meets ANSI/OSHA Class III harness standards

364 SPIE Lanyard \$47

22 inch lanyard made of 7000 lbf. nylon webbing. Designed to girth hitch to dorsal D ring of Stabo or Extraction harness for extraction operations. Kong Tactical 3 Stage carabiner included.



HARNESSES



360 Stabo/Tactical Full Body Harness \$275

Specially designed for rapid rappel and extraction operations. The waist and sternum buckles have secondary velcro safety closure over buckles. Mil spec load bearing vest shoulder straps are sewn into the harness allowing the harness to be worn under any military load bearing vest by replacing the existing harness straps with the Stabo straps and connecting the Alice clips of the vest to the waist of the harness. Leg pouches on the harness allow for leg loops to be stowed away when not in use. Currently being used by many DEA, FBI, BLM, Army Rangers and Special Forces personnel. Meets FAA TSO approval for use as a short haul harness. Contrasting brown thread for visual inspection. Weight 4 lb. 11 oz.

- One size, fully adjustable and in Small
- Large waist D ring for multiple connections
- Shoulder D rings included
- Certified to NFPA 1983/2006 ed. standards
- Meets ANSI/OSHA Class III harness standards

313 Lightweight Assault Harness

\$99

Well suited for all rescue, military, SWAT and tactical applications where a Class II harness is utilized. Similar to the standard Assault Harness with quick adjust waist buckle system for easier entry. D ring used for main attachment point. Weight 1 lb. 8 oz.

- One size, fully adjustable
- Available in terra, black and foliage green
- Quick leg adjustment with camlock buckles
- All hardware plated or epoxy coated in color
- One gear rack
- Meets ANSI/OSHA Class II harness standards



353 Lightweight Assault with Tactical Full Body Chest

\$183

Full body harness designed for short haul, rappel and extraction (SPIE) operations. Lightweight Assault is combined with a easily adjustable single connection point chest harness. Easily donned over tactical body armor. Web gear can be worn over chest harness. Particularly useful in military applications where a user needs to be extracted in a upright position if injured. Currently used by military special operations units. Quick adjust hardware, low profile and lightweight. Weight 3 lb. 6 oz.

- One size, fully adjustable
- Available in terra, black and foliage green
- Also available as Padded Lightweight Assault Full Body (item 352A) S-XL \$244
- Also available as Padded Lightweight Assault Full Body with rear D ring (item 352B) S-XL \$254



Padded Lightweight Assault Harness

Padded version of our popular Lightweight Assault Harness. Waist and leg pads are constructed of 3/8 inch laminated foam and cordura fabric for comfort and durability. 5 inch wide waist pad is available with rear structural D ring for positioning applications. Waist pad with rear D ring can be reversed for use in tactical "Australian Rappel" applications. Leg pads are 4 inches wide and contoured to provide superior comfort and function. Weight 2 lb. 3 oz.

- One size, fully adjustable
- Quick leg adjustment with camlock buckles
- All hardware plated or epoxy coated black
- Four gear racks
- Meets ANSI/OSHA Class II harness standards



308A	Padded Lightweight Assault	\$160.00
308B	w/rear D Ring (pictured)	\$170.00



424 Assault Full Body Chest Harness

\$84

Offers upper chest D ring connection to the Assault or Lightweight Assault Harness converting them to a full body Class III harness. Chest portion is easily donned over tactical body armor using camlock buckle. Chest D ring can be used for attachment of belay line while allowing the user to rappel or be lowered from the seat portion of the harness. Chest D ring is also useful as an extraction connection point. Weight 1 lb. 12 oz.

- One size, fully adjustable



315 Assault Harness

\$110

Well suited for all rescue, military, SWAT and tactical applications where a Class II harness is utilized. 2 inch waist belt webbing for increased comfort during long rappels. Waist closure uses double-pass buckle system for added security. Forged D ring used for main attachment point. Optional, removable 5 inch waist pad with or without D ring for rear attachment is available (items 400 or 405) or purchased as 316A or 316B. Weight 1 lb. 12 oz.

- One size, fully adjustable
- Quick leg adjustment with camlock buckles
- All buckles epoxy coated black
- One gear rack
- Meets ANSI/OSHA Class II harness standards

316A	Padded Assault	\$171.00
316B	Padded Assault w/rear D	\$181.00
316A and 316B available in S, M, L, XL		

HARNESSES



208 Tactical Shield Climbing Harness **\$155**

Designed for tactical situations with long hang time. Fully padded and totally adjustable. Wide 5 inch belt is super comfortable. Tapered anatomical design for flexibility and comfort. Waist belt adjusts 4 to 6 inches to accommodate for cold weather clothing or to be worn over heavy gear or vests. Camlock buckle closure system adds security and eliminates the need to double pass buckles. Racking system uses large diameter sheathed tubing for easy clipping. Wide, padded leg loops are fully adjustable with quick adjust buckles to accommodate a variety of sizing requirements. A new standard in tactical harness comfort and versatility. Weight 2 lb. 5 oz.

- Sizes S, M, L, XL
- Quick leg adjustment with camlock buckles
- 3500 lbf. rated haul loop
- All hardware plated or epoxy coated black
- Six gear racks
- Four tool holders
- Meets ASTM/ANSI seat harness standards

HARNESSES



Belt with leg loops

309 SWAT Special Ops Harness **\$124**

Designed in conjunction with LAPD SWAT, this harness utilizes a fully padded structural duty belt which replaces the existing belt worn by SWAT officers. Super stiff scuba webbing is sewn to the outside of the belt to facilitate hanging of leg holsters, ammo pouches and gas mask bags. Waist belt adjuster buckle is located on the left side so that it will not interfere with positioning of the right side weapon. Leg loop portion of harness can be quickly attached to the belt with a standard locking carabiner (not included). This converts the duty belt portion of the system into a fully functional rappel harness. Weight 1 lb. 12 oz.

- Sizes M, L, XL
- Quick leg adjustment with camlock buckles
- Fully structural rear attachment loop
- Meets ASTM/ANSI seat harness standards



with holster attached



Belt only

310 Rescue Harness \$74

Well suited for rescue, military, SWAT and tactical rappel applications where a metal attachment point is not necessary. Originally designed for the US Navy Seals tactical teams, the anatomical configuration of the harness has made it the choice for many tactical teams who need a non-restrictive harness system. Front attachment point is provided through slot webbing construction. Weight 1 lb. 3 oz.

- One size, fully adjustable
- Available in terra, black and foliage green
- Quick leg adjustment with camlock buckles
- All hardware plated or epoxy coated in color
- One gear rack
- Meets ASTM/ANSI seat harness standards



305 Mountain Warfare Harness \$124

Designed in cooperation with the USMC Mountain Warfare Training Center for special stealth needs in extreme tactical situations involving climbing, rappelling, SWAT and rescue. Currently being used in the USMC MACK (Marine Assault Climbers Kit). 3.5 inch, fully padded waist pad. Extra wide leg loops give ultimate comfort without bulky leg pads. Unique overlapping waist pad design with multiple leg suspension attachments allow for total adjustability. Multiple gear racking loops are provided. Weight 1 lb. 12 oz.

- Sizes Regular, L and XL
- Quick leg adjustment with camlock buckles
- 3500 lbf. rated haul loop
- All hardware plated or epoxy coated black
- Five gear racks
- Meets ASTM/ANSI seat harness standards



312 SAR Harness \$129

Lightweight harness specially designed for search and rescue professionals. Unique waist pocket enables harness to be worn as a belt and quickly converted to a Class II seat harness. Utilizes a camlock waist buckle and forged two piece friction buckles on the legs. Main attachment point allows freedom of movement with reduced bulk. Weight 1 lb. 12 oz.

- Sizes S, M, L, XL
- Utilizes slot webbing construction
- Leg buckles epoxy coated black
- Will accept military Alice clips for gear and pouches
- Meets ASTM/ANSI seat harness standards



415 Rescue Chest Harness \$39

Basic chest harness with V ring attachment points that can be connected together with carabiner or rope. Comes with special O ring strap that provides a rigging point and connects the V rings. Weight 12 oz.

- One size, fully adjustable



563 QR Personal Retention Lanyard \$48

Designed using the first all black, non reflective, oxide plated quick release shackle made of stainless steel. Built with Mil Spec 5625 tubular webbing. Strength 3500 lbf. (15kN).

- Available in black and sand

674 4 Foot Tactical Sling \$14

Versatile anchor sling constructed of heavy duty webbing. Can be wrapped single, double, triple and used as an end to end anchor. Strength 5000 lbf. (22.2kN) WLL 500 lbf. Black and other colors.



840 4 Foot Heavy Duty Anchor Sling \$37

Versatile anchor sling for tactical rigging applications. Large D ring at each end allows the sling to be wrapped single, double, triple and rigged choker-style depending on need. Manufactured from 2 inch heavy duty webbing. Also available in 2 to 20 foot lengths. Strength 8000 lbf. (35.5kN) WLL 800 lbf.



SPIE/FAST ROPE



(A) Military SPIE Rope

We offer two variations of the SPIE rope, 120 feet long with a clear abrasion resistance coating and 150 feet long with a black abrasion resistance coating. Both come with ten D rings per line for attachment of personnel. SPIE ropes are made in accordance with IAW Marine Corps drawing 829AS20. Cage code 30003. The D rings are proof tested at 2500 lbs. (11kN). The entire SPIE line is proof tested at 10,000 lbs. (44kN). Strength of rope with braided eye splice 29,000 lbs. (128kN).

1800	120 foot w/10 D Rings	\$1195
1805	150 foot w/10 D Rings	\$1295
1820	120 foot w/10 D Rings Black	\$1195
1830	150 foot w/10 D Rings Black	\$1295

FAST ROPE BAGS/FAST ROPE



Fast Rope Bags

Designed for the US military for storage and deployment of fast rope used in insertion and extraction operations. Made from the highest quality, extra heavy duty urethane coated nylon for use in extreme situations. This material has exceptional abrasion resistance. Side seam is sonically welded and taped for 100% strength. Double layer urethane coated nylon reinforced bottom. Steel D ring attachments allow the bag to be easily secured in helicopter. Shoulder strap suspension system can be easily stowed under cover flaps when not needed without having to be removed. Bellows pocket on side of pack is provided to secure webbing connection straps for use with fast rope equipped with FRIES attachment. Small chemical light pouches on top and bottom of pack. These packs are designed to take abuse!

Large Fast Rope Bag fits 60 to 90 foot fast ropes. 18.5 inch diameter, 58 inch circumference, 32 inch height and 20 inch skirt. Volume 11,000 cubic inches. Weight 12 lbs.

Small Fast Rope Bag fits 30 to 60 foot fast ropes. 15 inch diameter, 50 inch circumference, 22 inch height and 17 inch skirt. Volume 6000 cubic inches. Weight 8 lbs. Great for SPIE rope!

1748	Fast Rope Bag Small Black	\$495
1750	Fast Rope Bag Large Tan	\$650
1751	Fast Rope Bag Large Black	\$650
1752	Fast Rope Bag Small Tan	\$495

Military Fast Rope (not shown)

1 5/8 inch (44 mm) diameter rope made from low stretch nylon fibers with a 8 braid construction to reduce rope kinking and afford fast, fully controlled, safe descents. Our fast ropes have a soft eye splice (loop) in the top and are whipped and heat sealed on the bottom. Available in 60, 90 and 120 foot lengths. Custom lengths and reduced volume eye splice option available, call for details.

1790	60 foot Fast Rope	\$1050
1791	90 foot Fast Rope	\$1450
1792	120 foot Fast Rope	\$1850

(B) Military FRIES Fast Rope

Fast Rope Insertion & Extraction Systems (FRIES) provide efficient and safe methods for inserting and evacuating personnel to and from specific targets. Our fast ropes have a soft eye splice (loop) in the top and are whipped and heat sealed on the bottom. In addition to the loop, we can also install a steel ring in the line so that the line may be hooked to the davits that are found on certain helicopters. Custom lengths available. High strength eye splice 30,000 lbs mbs. (133kN). FRIES attachment strength 10,000 lbs. (44kN).

1760	60 foot Fast Rope w/FRIES	NSN: 4020-01-338-3307	\$1295
1765	90 foot Fast Rope w/FRIES	NSN: 4020-01-338-3308	\$1695
1776	120 foot Fast Rope w/FRIES	NSN: 4020-01-338-3309	\$2095

All fast ropes are made in accordance with IAW Army Specification Mil-F-44422.

SPEC PAK



901 Yates Spec Pak

\$1150

Patient packaging and extrication system combines the backboard immobilization of a short board with the suspension and support of a full body harness. The Spec Pak system utilizes an integrated polyethylene board along the back to reduce wear and create a smooth sliding surface for confined space operations. Grab handles located at the head and sides allow rescuers to better handle the patient package during movement through tight spaces. Excels as a means to extract injured victims in battle zones due to the speed of application and ability to drag victim with connected rope lessening exposure of rescuers. Extremely useful for any confined space operation where a vertical environment is encountered. In addition, the Spec Pak system is a lifting harness, thus eliminating the need for a separate victim harness. Unique self-adjusting (sliding) cervical restraint eliminates the problems associated with lifting patients vertically while secured to a rigid backboard. *Spec Pak is only intended as a limited spinal immobilization system. It must be used in conjunction with proper spinal immobilization such as the use of a cervical collar where conditions and protocols dictate.* Designed by Spec Rescue International and Yates Professional. Weight 15 lbs.

- Meets ANSI/OSHA Class III harness standards



GLOVES



915 Ringers Tactical Rigging Glove

\$25

Lightweight glove with great dexterity. Tough spandex top. Premium synthetic leather finger and palm. Hidden seam design. Super snug fit. Black.

- Sizes S-XXL



910 Ringers Rope Gloves

\$40

Great fingertip dexterity and a unique gel padded rope control channel make these gloves a must for the rope professional. Excellent durability and fit. Black and Red.

- Sizes S-XXL



Ringers Military Issue

Battle tested. Comfortable 3mm gel palm padding. Exclusive signature flex-all cuff. Black and Desert Sand.

- Sizes S-XXL

918	Black (Stealth)	\$30.00
919	Desert Sand	\$30.00

STIRRUPS/ADJ. DAISYS

535B Rescue Stirrups \$30 ea.

Designed to attach to ascenders to aid in ascending. Fully adjustable. Also works great for horizontal traverse needs. Simple, clean design dramatically reduces bulk of traditional etriers. 4 inch wide steps are made of heavy duty vinyl. Fully extended stirrup measures 6 feet. Weight 1 lb. 3 oz.



539 Heavy Duty Daisy Chain \$37

Extra long daisy chain made of 1 inch heavy duty nylon webbing. Strength 5000 lbf (22.2kN). Individual pocket strength is 1000 lbf (4.4kN). Length 6 feet with 20 pockets. Weight 9 oz.



550 Adjustable Daisy \$20

Useful in rope ascending techniques when using Yates Rescue Stirrups and a chest ascender. Multiple uses as an adjustable positioning strap. Incorporates a heavy duty cam buckle which allows user to easily adjust the distance between seat harness and connector. At full extension adjustable daisy measures 56 inches. Strength 1500 lbf (6.6kN). Weight 8 oz.



UNIFORM RAPPEL/BDU BELTS



1.75 inch Uniform Rappel Belt

Lightweight uniform belt that can be used for emergency rappels. Camlock waist buckle for quick adjustment and no slippage. Front V ring used for attachment point. Makes a great instructor safety belt. Strength 4000 lbf. (17.7kN).

- One size, fully adjustable and XL
- Terra, black, foliage green, O.D. green

450	Regular	\$27.00
451	XL	\$29.00



1.75 inch Uniform/BDU Belt

Lightweight uniform/BDU belt sewn with camlock waist buckle for quick adjustment and no slippage. Strength 4000 lbf. (17.7kN).

- One size, fully adjustable and XL
- Terra, black, foliage green, O.D. green

456	Regular	\$20.00
457	XL	\$22.00



1.5 inch Uniform Rappel Belt

Same as our Uniform Rappel Belt belt sewn with camlock waist buckle in narrower 1.5 inch version for pants with small belt loops. Strength 4000 lbf. (17.7kN).

- One size, fully adjustable and XL
- Terra, black, foliage green

461	Regular	\$27.00
462	XL	\$29.00



1.5 inch Duty Belt

Same as our uniform/BDU belt sewn with camlock waist buckle in narrower 1.5 inch version for pants with small belt loops. Strength 4000 lbf. (17.7kN).

- One size, fully adjustable and XL
- Terra, black, foliage green

458	Regular	\$20.00
459	XL	\$22.00

TACTICAL RIT/ROPE BAG



1931 Tactical Rit Kit

\$180

Designed by Special Operations personnel to aid in egress from multi-story buildings in situations where soldiers are pinned down in the building with no rear exit. Rappel line can be secured to an object in the room or roof top location and positioned to run down the side of the building. Can also be used to lower injured personnel to the ground from height. The system utilizes a micro figure eight descent device and a unique carabiner configured to allow for increased friction if needed. Includes 75 feet of lightweight hybrid 3200 lbf. (14kN) 6.6 mm rope. Hybrid rope is constructed of a blend of Technora® and polyester. Technora is used in the sheath construction to give exceptional cut resistance. Packaged in a mesh bag which is inserted in the MOLLE compatible pouch.



454 Tactical Rope Bag

\$26

Velcro leg straps securely fasten the rope bag to the lower leg. Black cordura with single draw cord closure. Holds 75 feet of BlueWater 7/16 inch Assaultline or 100 feet of BlueWater 11 mm ProTac rope.



HEADLAMPS/HELMETS



Petzl Tactikka XP LED

Ultralight LED headlamp with colored (red, green, blue) wide angle lenses. Long light duration. 3 light levels, strobe and boost. Water resistant for all weather use. Also available in desert tan.

7030	Camo	\$50.00
7031	Desert Tan	\$50.00



7032 Tactikka XP Adapt

\$60

Equipped with the Adapt system, which allows the light source to be removed from the headband and attached to a belt, jacket clip or helmet adapter (included).



7033 Petzl e+Lite

\$30

Emergency headlamp. Comes with carrying case. Can be used in potentially explosive atmospheres. Compact and ultra light (27g). Can be worn on the head, around wrist or neck or attached to thin-edged articles with integrated clip. Red light helps preserve night vision.



Petzl Helmets

Offers the highest level of safety to all those who work at height in hazardous environments. Universal size. Also available with closable vent holes. Various colors.

7010	Petzl Vertex Best	\$85.00
7011	Petzl Vertex Vent	\$85.00

CARABINERS



1130 Gecko Screwgate

High strength forged aluminum alloy carabiner. Tactical solid black.

MBS lbf. (kN)	gate opening	price
6750 (30)	.8 inch	\$20.00



1135 Gecko Twistlock

High strength forged aluminum alloy carabiner. Great for personal use.

MBS lbf. (kN)	gate opening	price
6750 (30)	.8 inch	\$22.00



1778 Kong Tactical 3 Stage

Easy to operate 3 stage auto lock tactical carabiner. Meets ANSI Z133.1-2000.

MBS lbf. (kN)	gate opening	price
6750 (30)	.9 inch	\$25.00

CARABINERS



7021 Petzl Am'D Tri-Act

Easy to operate 3 stage auto lock tactical carabiner. Meets ANSI Z133.1-2000.

MBS lbf. (kN)	gate opening	price
6300 (28)	.8 inch	\$22.00



1160 DMM Tactical Ovalock

Extra high strength gate (12kN). High strength forged aluminum alloy carabiner. Gate open strength 2250 lbf. (10kN).

MBS lbf. (kN)	gate opening	price
6300 (28)	.9 inch	\$35.00



1157 OP D NFPA Screwlock

High strength forged aluminum alloy carabiner. Great for personal use.

MBS lbf. (kN)	gate opening	price
6075 (27)	.6 inch	\$12.00



1156 OP D Non-lock

High strength forged aluminum alloy carabiner. Great for personal use.

MBS lbf. (kN)	gate opening	price
6975 (31)	.75 inch	\$8.00



1159 OP Jake 3 Stage

Aluminum alloy autolock carabiner. Triple action gate for added security.

MBS lbf. (kN)	gate opening	price
5175 (23)	1 inch	\$21.00



1158 OP Jake Quicklock

Aluminum alloy autolock carabiner, easy to operate with gloved hand.

MBS lbf. (kN)	gate opening	price
5175 (23)	1 inch	\$19.00



Yates Mountain Lite Pulleys

New sealed bearing prusik minding pulleys designed to maximize strength while reducing weight. A new standard for high strength, lightweight pulleys. Weight reduction of up to 35% over pulleys of similar size. Designed specifically for mountain rescue and USAR applications when a lightweight, NFPA G certified pulley is needed. Made using aircraft quality aluminum, this design features a 2.5 inch sheave (full, true 2 inch tread diameter). This diameter sheave is the best compromise for maximizing efficiency while reducing weight and bulk. Unique channel milled into the side of the sheave reduces the effect of debris building up between it and the side plate. Side plate design allows the use of larger ropes in a compact pulley. Manufactured exclusively for Yates by SMC. Certified to NFPA G 1983/2006 ed. Strength 8100 lbf. (36kN) Weight 8.5 oz. single, 15 oz. double.

6210	single	Red	\$65.00
6215	single	Black w/Black Sheave	\$67.00
6220	double	Blue	\$105.00
6225	double	Black w/Black Sheaves	\$106.00

1015B Rescue Rigger \$48

Medium size rigging plate is ideal for all tactical rigging applications. Made of 3/8 inch high strength aircraft alloy aluminum. Length 6.5 inches, width 4.25 inches. Hole size .75 inch. Strength 10,000 lbf. (45kN).



1010B Wall Rigger \$25

Small size rigging plate ideal for tactical rigging applications. Made of 1/4 inch high strength aircraft alloy aluminum. Length 3.5 inches, width 3.25 inches. Hole size .75 inch. Strength 6750 lbf. (30kN).



6015 Kong Stainless Steel Figure 8 \$57

Tactical 8 manufactured of black oxide plated forged stainless steel. Super strong!
 • Strength 11,250 lbf. (50kN)



1026 ISC Large Aluminum 8 \$39

Many tactical and rescue uses such as rappelling, belaying and lowering. Forged alloy aluminum and hard coat anodized for extended wear.
 • Strength 8000 lbf. (35kN)




1837 DMM Yates TriLock®

Super lightweight (66 grams) 3 stage auto lock carabiner for tactical, rescue and rope access. Extra high strength keylock gate (10kN) gives extra margin of side-load strength. Meets ANSI Z133.1-2000.

MBS lbf. (kN)	gate opening	price
6750 (30)	.86 inch	\$23.00

7036 SMC Swivel \$73

Keep ropes from becoming twisted or wrapped. Oval hole to accommodate 2 carabiners. Sealed bearing. Strength 9000 lbf. (36kN). NFPA G.



Tactical Webbing

Mil spec 5625 1 inch tubular webbing, with shuttle loom construction has superior knotability and abrasion resistance. Available in variety of tactical colors. Strength 4000 lbf. (17.7kN).

Type 18 heavy duty 1 inch flat webbing is superior to 1 inch tubular webbing in strength and abrasion resistance. Great knot holding capacity. Black. Strength 6000 lbf. (26.6kN).

700	Mil Spec 5625	\$49 ft.
705	Type 18	\$53 ft.

LADDERS




529 Rescue/Urban Assault Ladder **\$135**

Offers the opportunity to scale urban buildings from the outside using standard aid techniques. Also works great for many rescue applications including confined space egress and low and high angle rescue. The ladder can be used along with drag/grappling hooks. Ladders can be linked together to increase length. Made of 1 inch webbing and steps are reinforced with stiffeners. Built-in spreader bar insures that steps remain open without causing foot pinching. Length 15 feet with 16 steps. Weight 1 lb. 15 oz.

- Strength 5000 lbf. (22.2kN)

LADDERS



1788 Assault Ladder Pole **\$160**

14 foot 6 inch pole specially designed for use with pocket ladder hook and 20 foot Ultralite Urban Assault Ladder. Constructed of stiff 5/8 inch 7075 Easton aluminum tubing shock corded together. Same attachment mechanism on both ends. Comes with terra storage bag. Weight 1 lb. 12 oz.

- Image shown at left, short for clarity



1789 Ultralite Assault Ladder Kit **\$510**

Complete system designed for special operations personnel to aid in gaining access in combat situations to a maximum of 22 feet. Comes with Assault Ladder Pole (item 1788), custom 20 foot Ultralite Urban Assault Ladder, Ladder Hook with Kevlar Sling (item 1787), screwlock attachment delta link and storage bags. Weight 3 lb. 6 oz.

1787 Ladder Hook with Kevlar Sling **\$64**

For use with alternative ladders. Strength of Kevlar Sling 2000 lbf. (9kN). Hook strength from 700 lbf. to 2200 lbf. depending on position and type of placement. Weight 4 oz. Other hook configurations available, call for details.



(A) 537 Ultralite Urban Assault Ladder

\$220

Ultralight version of the Urban Assault Ladder, designed for combat situations. Used for entrance or exit from urban buildings. Ladders can be linked together to increase length. The ladder can be used along with drag/grappling hooks or extension poles to gain access. Side portions of ladder are constructed of extremely lightweight Kevlar webbing to eliminate stretch while climbing. Steps are reinforced with stiffeners. Built-in spreader bar insures that steps remain open without causing foot pinching. Packaged in a pouch equipped with MOLLE system for attachment to tactical vest. Length 15 feet with 16 steps. Weight 16 oz.

- Strength 5000 lbf. (22.2kN)
- Available in terra and black
- Image shown short for clarity



(B/C) Rescue Ladders

The simplicity of a traditional etrier with the ease of use of a ladder. Built-in spreader bar insures that steps remain open without causing foot pinching. Wrist loops included. Six steps. Measures 6 feet. 532 available in black. Weight 532 1 lb 13 oz. 533 1 lb. 9 oz.


- Strength 4000 lbf. (22.2kN)

532	1.75 inch Wide Steps	\$40.00
533	1 inch Wide Steps	\$35.00

Special Ops Ladders

Designed for the Navy Seals Special Operations, these ladders are high tech! These state-of-the-art ladders use Technora heat resistant high tenacity fiber as the side cables. Super stealthy, very flexible and quiet. Molded in place nylon reinforced steps are individually proof load tested to 600 lbf. (2.6kN). Minimum strength of ladder cable rope is 5600 lbf. (24.8kN). Comes with deployment bag.

527	10 meters	2 lb. 7 oz.	\$1000
528	5 meters	1 lb. 4 oz.	\$725




536 8 Foot Pocket Ladder \$135

Designed by Special Operations personnel to ease in gaining access to areas without the use of traditional combat ladders. The Pocket Ladder utilizes a lightweight steel hook with an attachment rod which is inserted in the barrel of a weapon. The tactical user simply uses his weapon as an extension pole to secure the hook to any desired location. Weapon is removed and ladder stays in position. Can be used to clear walls and to gain access to second story windows. Constructed of extremely lightweight Kevlar webbing to eliminate stretch while climbing. Ladder and attached hook folds into pocket for easy storage. Pocket is equipped with MOLLE system for attachment to tactical vest. Available in terra and black. Weight 12 oz.



Yates and BlueWater bring you the ultimate ropes for hard use. Through extensive design and testing we have achieved the perfect balance of strength, abrasion resistance, and load absorption with no sheath slippage during ascending and descending. Knotability is excellent. Overall the best choice in tactical rope.



(A) Assaultline® 7/16 Inch

The original low visibility, low elongation static rope. Double twist cabled nylon sheath and a double twist cabled nylon core. Certified to NFPA 1983/2006 edition. 1262 is Berry Amendment compliant.

item #	name	color	MBS (lbf/kN)	price/ft.
1260	Assaultline	black	7200/32	\$.88
1262	(Berry compliant)	black	6500/28.8	\$.96

(B) ProTac™

32 carrier polyester sheath. 50/50 ratio of sheath to core ensures good abrasion resistance. Recognized in the tactical community as the best all around rappel rope available today. ProTac 7/16 is certified to NFPA 1983/2006 edition.

item #	name	color	MBS (lbf/kN)	price/ft.
1264	ProTac 10.5	black	6500/28.8	\$.90
1265	ProTac 7/16	black	6734/30	\$.97
1270	ProTac 7/16	olive drab	6734/30	\$.97
1275	ProTac 7/16	desert sand	6734/30	\$.97
1280	ProTac 7/16	urban gray	6734/30	\$.97

(C) Dominator™ 9.4 mm Tactical Dynamic Climbing Rope

One of the lightest certified single ropes on earth is also certified as a half rope. This cord sets a new lightweight standard for tactical and rescue applications.

item #	name	color	MBS (lbf/kN)	price/ft.
1350	Dominator	black/od green	4657/20.6	\$1.00
1351	Dominator	od green/black	4657/20.6	\$1.00
1352	Dominator	gray/black	4657/20.6	\$1.00
1353	Dominator	coyote/black	4657/20.6	\$1.00

(C) SlimLine Elite™ 10.3 mm Tactical Dynamic Climbing Rope

Our best all around climbing rope. Long wearing with high sheath to core ratio. The perfect balance between a lightweight and durable rope with a high fall rating.

item #	name	color	MBS (lbf/kN)	price/ft.
1370	SlimLine Elite 10.3	black/od green	5074/22.5	\$1.03
1371	SlimLine Elite 10.3	od green/black	5074/22.5	\$1.03
1372	SlimLine Elite 10.3	gray/black	5074/22.5	\$1.03
1373	SlimLine Elite 10.3	coyote/black	5074/22.5	\$1.03

(C) Enduro™ 11 mm Tactical Dynamic Climbing Rope

40 carrier braid construction with the thickest sheath to core ratio (43/57) on the market, yielding a rope with abrasion resistance never before seen in a dynamic climbing rope.

item #	name	color	MBS (lbf/kN)	price/ft.
1215	Enduro	black/od green	5500/24.4	\$1.08
1216	Enduro	od green/black	5500/24.4	\$1.08
1217	Enduro	gray/black	5500/24.4	\$1.08
1218	Enduro	coyote/black	5500/24.4	\$1.08

(D) Dynamic Prusik Cord

Specially engineered prusik cords with shock absorbing ability.

item #	name	size (mm)	color	MBS (lbf/kN)	price/ft.
1471	Dynamic Prusik	6.5	coyote/black	2425/10.7	\$.43
1472	Dynamic Prusik	6.5	black/od	2425/10.7	\$.43

HARNESS SIZE CHART

All waist sizes in inches
Top line waist, lower line height

	Regular	Small	Medium	Large	X Large
208 Tactical Shield		27 - 31	30 - 34	33 - 37	36 - 40
304 Tactical Rappel Belt			30 - 38	34 - 44	
305 Mountain Warfare	29 - 36			35 - 43	42 - 50
308A/B Padded Lightweight Assault		26 - 31	30 - 36	34 - 40	38 - 48
309 SWAT Special Ops			30 - 35	34 - 39	38 - 42
310 Rescue Seat	25 - 50				
312 SAR		26 - 32	29 - 36	32 - 40	
313 Lightweight Assault	25 - 50				
315 Assault	26 - 54				
316A/B Padded Assault		26 - 31	30 - 36	34 - 40	38 - 48
317 Tactical Rappel	26 - 54				
352A/B Padded Ltwt. Assault FB		26 - 31 5'5 - 6'4	30 - 36 5'5 - 6'4	34 - 40 5'5 - 6'4	38 - 48 5'5 - 6'4
353 Ltwt. Assault Tactical FB	26 - 50 5'5 - 6'4				
355 Extraction	26 - 54 5'5 - 6'4				
360 STABO	26 - 54 5'5 - 6'4	26 - 36 4'9 - 5'9			
361 Special Ops Full Body	28 - 44 5'2 - 6'6				
415 Rescue Chest	26 - 54				
424 Assault Full Body Chest	26 - 54 5'5 - 6'4				
450/451/456/457 Rappel/BDU Belt	24 - 42				34 - 57

HARNESS APPLICATION CHART

- Harness Feature
- Harness Option

	Class	NFPA	ASTM/ANS/OSHA	Fall Arrest	Work Positioning	Lead Climbing	Rope Access	Stage Rigging	Ladder Climbing	Rescue	Dorsal	Sternal	Front Waist	Side Positioning	Back (lumbar)	Shoulders
208 Tactical Shield	II		•			•				•			•		•	
304 Tactical Rappel Belt	II		•			•				•			•			
305 Mountain Warfare	II		•		•	•				•			•			
308A/B Padded Ltwt. Assault	II		•		•	•				•			•			
309 SWAT Special Ops	II		•		•	•				•			•			
310 Rescue Seat	II		•		•	•				•			•			
312 SAR	II		•		•	•				•			•			
313 Lightweight Assault	II		•		•	•				•			•			
315 Assault	II		•		•	•				•			•			
316A Padded Assault	II		•		•	•				•			•			
316B Padded Assault Rear D	II		•		•	•				•			•		•	
317 Tactical Rappel	II		•		•	•				•			•			
352/353 Ltwt. Assault Full Body's	III				•	•				•		•	•		◦	
352B Pad Ltwt. Assault FB Rear D	III				•	•				•		•	•		•	
355 Extraction	III	•	•	•	•	•				•	•	•	•		•	•
360 STABO	III	•	•	•	•	•				•	•	•	•		•	•
361 Special Ops Full Body	III		•	•	•	•				•	•	•	•		•	•
415 Rescue Chest										•		•				
424 Assault Full Body Chest										•		•				

WARRANTY/WARNING

Limited Warranty

Yates Gear Inc. warrants for one year from the purchase date and only to the original retail buyer that our products are free from defects in material and workmanship. If the buyer discovers a warranty related defect, the buyer should return the product to Yates Gear Inc. Yates Gear Inc. reserves the option to repair or replace any product returned under warranty. That is the extent of our liability under this warranty and, upon the expiration of the applicable warranty period, all such liability shall terminate.

Warranty Exclusions

Yates Gear Inc. does not warrant products against normal wear and tear, unauthorized modification or alteration, improper use, improper maintenance, accident, misuse, negligence, damage, or if the product is used for a purpose for which it was not designed. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Except as expressly stated in this warranty, Yates Gear Inc. shall not be liable for direct, indirect, incidental, or other types of damages arising out of, or resulting from the use of the product.

Warning

Products manufactured by Yates Gear Inc. are intended for use by professionals trained and experienced in the use, inspection, and maintenance of these products. Many products which Yates manufactures are used in high angle environments which pose a very substantial risk of serious injury or death. You must read and understand all of the manufacturer's instructions before use. Any person purchasing this equipment assumes the responsibility for seeking proper training in its use. Purchaser also assumes all risk for any injury or damage sustained while using any of this equipment. Failure to follow these warnings increases the risk of injury and death.



2608 Hartnell Avenue, Suite 6
Redding, California 96002
800.928.3716
www.yatesgear.com